
JK TYRE
TOTAL CONTROL

TWO AND THREE WHEELER

2026-27

TYRE GUIDE



IMPORTADORA AUTOMOTRIZ GLOBAL S.A.

grupoiagsa.com

NEXT-GEN 2 WHEELER TYRES



Exceptional Tyre Grip:
Ensures stronger grip & safer braking.

Outstanding Ride & Handling:
Offers smoother rides with precise control.

Superior Tyre Mileage:
Delivers longer tyre life with better fuel efficiency.



Next-Gen isn't a label. It's a promise.

A promise that our 2 Wheeler Tyres won't just match the road, they'll outsmart it. Packed with optimized braking stability & tough puncture resistance, our tyres keep you moving without fear.

This is the technology tuned to the way you ride.

This is the tyre engineered for what's next.

OFFICIAL OEM PARTNERS FOR LEADING 2W & 3W MANUFACTURERS



BLAZE

BF 32 | BR 32 | BF 64 | BR 64 | F 21 | F 82



BLAZE RYDR

BF 44 | BR 44



BAJAJ TVS Hero REVOLT PIAGGIO

BLAZE BR31

RULE THE STREETS

SPECIALIZED CROSS DIRECTIONAL PATTERN
Excellent braking in dry & wet conditions

ADVANCED BRIDGING TECHNOLOGY FOR BETTER TREAD LIFE
Great handling & riding comfort



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/80-17	TL	P	150	57	2.50	33	610±7	114±4
120/80-17	TL	P	150	61	2.75	33	628±5	120±4
100/90-17	TT	P	150	55	2.50	33	620±5	104±4
100/90-17	TL	P	150	55	2.50	33	620±5	104±4

BLAZE BF32

CONQUER CORNERING WITH COMFORT

SPECIALIZED DIRECTIONAL GROOVES
Great handling & riding comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/80-17	TL	P	150	52	2.50	33	594±7	103±5
90/90-17	TL	P	150	49	2.15	33	597±8	93 ±3
70/100-17	TL	P	150	40	1.60	33	575±4	71±3
80/100-17	TL	P	150	46	1.85	33	594 ±7	81 ± 4
2.75-17	TT	P	150	41	1.85	33	590±5	76±4
80/100-18	TL	P	150	47	1.85	33	619±7	81±4
2.75-18	TT	P	150	42	1.85	33	616±7	76±4
90/90-19	TL	P	150	52	2.15	33	648±5	92±4

BLAZE BR32

CONQUER CORNERING WITH COMFORT

SPECIALIZED DIRECTIONAL GROOVES
Great handling & riding comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
80/100-17	TL	P	150	53	1.85	33	594 ±7	81 ± 4
3.00-17	TT	P	150	50	1.85	41	604 ± 7	82±4
100/90-18	TL	P	150	56	2.50	33	644±6	104±4
110/90-18	TL	P	150	61	2.50	33	663±7	109 ± 4
80/100-18	TL	P	150	54	1.85	41	619±7	81±4
2.75-18	TT	P	150	48	1.85	41	620±7	77± 4
2.75-18	TL	P	150	48	1.85	41	616±8	77±4
3.00-18	TT	P	150	52	1.85	41	634±5	82±4

BLAZE BF33

PUSH THE LIMIT OF PERFORMANCE

SHARP & SLEEK DIRECTIONAL GROOVES
High speed handling & comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/70-17	TL	P	150	54	3.00	33	589±5	111±4
80/100-17	TL	P	150	46	1.85	33	596 ±7	81±4

BLAZE BR33

PUSH THE LIMIT OF PERFORMANCE

SHARP & SLEEK DIRECTIONAL GROOVES
High speed handling & comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/90-17	TL	P	150	55	2.50	33	620±5	104±4

BLAZE BF36

HIGHLY COMFORTABLE & SMOOTH RIDE

NEW CROSS-DIRECTIONAL PATTERN
Excellent braking in dry & wet conditions

MULTIPLE CUTTING EDGES
Straight stability & anti-skidding



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
80/100-17	TL	P	150	46	1.85	33	592±5	80±4

BLAZE BR36

HIGHLY COMFORTABLE & SMOOTH RIDE

NEW CROSS-DIRECTIONAL PATTERN
Excellent braking in dry & wet conditions

MULTIPLE CUTTING EDGES
Straight stability & anti-skidding



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/90-17	TL	P	150	55	2.50	33	612±5	103±4

BLAZE BF64

TOP CHOICE OF LEADING OEMs

SPECIALIZED DIRECTIONAL PATTERN
Great handling & riding comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
80/100-18	TL	P	150	47	1.85	33	619±7	81±5

BLAZE BR64

TOP CHOICE OF LEADING OEMs

SPECIALIZED DIRECTIONAL PATTERN
Great handling & riding comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/80-18	TL	P	150	53	2.50	33	620±7	101±4
90/90-18	TL	P	150	51	2.15	33	622±5	90±3
80/100-18	TL	P	150	54	1.85	41	619±7	81±5

BLAZE BF11

THE POWER OF CONTROL

FREE ROLLING RIB
Excellent fuel efficiency

ANGULAR CUTS & BLOCKY SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.75-17	TT	P	150	41	1.85	33	590±5	76±4
2.75-17	TL	P	150	41	1.85	33	590±5	76±4
2.75-18	TT	P	150	42	1.85	33	618±5	77±4
2.75-18	TL	P	150	41	1.85	33	618±5	77±4
3.25-19	TT	P	150	54	2.15	33	668±5	89±4

BLAZE-X F21

CRUISE IN A BLAZE OF GLORY

STRAIGHT LINE RIBBED PATTERN WITH LATERAL CUTS
Excellent stability & high fuel efficiency

BLAZE-X MILEAGE BOOSTER COMPOUND
High mileage & superior braking



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.75-17	TT	P	150	41	1.85	33	591±7	75±4
2.75-18	TT	P	150	48	1.85	33	618±5	77±4

BLAZE-X F23

BEST-IN-CLASS MILEAGE & STRENGTH

SEMI-RIB & SEMI-BLOCK PATTERN DESIGN
High fuel efficiency & better load carrying ability

BLAZE-X MILEAGE BOOSTER COMPOUND
High mileage & superior braking



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.50-16	TT	L	120	41	1.60	41	547±5	68±3
2.50-16	TT	L	120	36	1.60	41	547±5	68±3

BLAZE-X F82

BUILT TO LAST

UNIQUE DIRECTIONAL TREAD PATTERN
Better stability on all terrains

BLAZE-X MILEAGE BOOSTER COMPOUND
High mileage & superior braking



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.75-17	TT	P	150	41	1.85	33	591±7	75±3

BLAZE-X R45

UNMATCHED MILEAGE & STRENGTH

DIRECTIONAL PATTERN
Stable cornering at high speed

BLAZE-X MILEAGE BOOSTER COMPOUND
Superior braking & long life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.50-16	TT	L	120	41	1.60	41	547±5	68±3

TOTAL CONTROL *ON TOUGHEST TERRAINS*



BLAZE RYDR A/T BF50

CARVED FOR ALL TERRAINS

JUMBO SIZED BLOCKS
Excellent grip on all terrains - on-road & off-road

OPTIMIZED PARALLEL GROOVES
Smart design for water channeling
& better traction during monsoon



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/90-19	TL	P	150	52	2.15	33	647±7	91±5
90/90-19	TT	P	150	52	2.15	33	647±7	91±5
90/90-21	TT	S	180	54	2.15	33	696± 7	91±4

BLAZE RYDR A/T BR50

CARVED FOR ALL TERRAINS

JUMBO SIZED BLOCKS
Excellent grip on all terrains - on-road & off-road

OPTIMIZED PARALLEL GROOVES
Smart design for water channeling
& better traction during monsoon



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
120/90-17	TT	S	180	64	2.75	33	652±5	122±3
120/80-18	TT	P	150	62	2.75	33	652±5	120±4

BLAZE BA11

ENJOY THE POWER. EXPERIENCE TOTAL CONTROL.

STRONG & HEAVY SHOULDER BLOCKS
High grip & cornering stability

BIG & BROAD CENTRE BLOCKS
Best-in-class braking & control



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.50-16	TT	L	120	41	1.60	41	547±5	68±3

BLAZE BR11

ENJOY THE POWER. EXPERIENCE TOTAL CONTROL.

STRONG & HEAVY SHOULDER BLOCKS
High grip & cornering stability

BIG & BROAD CENTRE BLOCKS
Best-in-class braking & control



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
3.00-17	TT	P	150	50	1.85	41	607±7	81±4
3.00-17	TL	P	150	50	1.85	41	607±7	81±4
80/100-18	TL	P	150	54	1.85	41	619±7	81±4
2.75-18	TT	P	150	48	1.85	41	618±6	75±3
2.75-18	TL	P	150	48	1.85	41	618±6	75±3
3.00-18	TT	P	150	52	1.85	41	632±7	81±4
3.00-18	TL	P	150	52	1.85	41	632±7	81±4
3.50-19	TT	P	150	62	2.15	41	680±7	95± 4

BLAZE BR12

ULTIMATE GRIP, PLUGGED FOR PERFECTION.

BLOCK DESIGN WITH UNIFORM GROOVES
Smart water channeling & better traction

BIG & BROAD CENTRE BLOCKS
Best-in-class braking & control



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.75-17	TT	P	150	47	1.85	41	590±7	78± 4
3.00-17	TT	P	150	50	1.85	41	604± 7	82±4
2.75-18	TT	P	150	48	1.85	41	620±7	77± 4

BLAZE BR22

A CLASS APART IN FUEL EFFICIENCY

MULTIPLE CUTTING EDGES
Enhanced grip & braking ability

BIG & BROAD CENTRE BLOCKS
Best-in-class braking & control



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
3.00-17	TT	P	150	50	1.85	41	608±5	80±4
3.00-17	TL	P	150	50	1.85	41	608±5	80±4
2.75-18	TT	P	150	48	1.85	41	618±5	77±4
2.75-18	TL	P	150	48	1.85	41	618±5	77±4
3.00-18	TT	P	150	52	1.85	41	630±7	81±4
3.00-18	TL	P	150	52	1.85	41	630±7	81±4

BLAZE BR23

TRUE CHAMPION OF TOUGH TERRAINS

BIG CENTRE & ZIG-ZAG SHOULDER BLOCKS
Excellent stability on uneven roads

MULTIPLE CUTTING EDGES
Enhanced grip & braking ability for a seamless ride



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/90-17	TL	P	150	55	2.50	33	620±5	104±4
3.00-17	TT	P	150	50	1.85	41	608±5	80±4
100/90-18	TL	P	150	56	2.50	33	644±6	104±4
2.75-18	TT	P	150	48	1.85	41	618±5	77±4
3.00-18	TT	P	150	52	1.85	41	634±5	82±4

BLAZE BF27

CONFIDENCE THAT HOLDS EVERY CURVE

OPTIMIZED BLOCK DIRECTIONAL TREAD PATTERN
Delivers precise steering response & excellent high-speed stability

CURVATURE WATER EVACUATION GROOVES
Improves water drainage for enhanced wet-road grip & rider confidence



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/80-17	TL	P	150	46	2.15	33	579 ± 5	87±4

BLAZE BR27

CONTROL THAT INSPIRES EVERY RIDE

OPTIMIZED BLOCK DIRECTIONAL TREAD PATTERN
Delivers precise steering response & excellent high-speed stability

CURVATURE WATER EVACUATION GROOVES
Improves water drainage for enhanced wet-road grip & rider confidence



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
120/70-16	TL	P	150	57	3.50	33	574 ± 5	116±4

BLAZE BF28

ENDURING CONTROL FOR EVERY JOURNEY

OPTIMIZED DIRECTIONAL BLOCK TREAD WITH RIGID SHOULDER DESIGN

Provides precise handling, straight-line stability, & confident cornering

SUPERIOR TREAD COMPOUND WITH HIGH-CURVATURE GROOVES

Delivers long mileage, excellent wet-road grip, & reliable braking performance



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
60/100-17	TT	P	150	33	1.40	33	554±6	60±4

BLAZE BR28

ENDURING CONTROL FOR EVERY JOURNEY

OPTIMIZED DIRECTIONAL BLOCK TREAD WITH RIGID SHOULDER DESIGN

Provides precise handling, straight-line stability, & confident cornering

SUPERIOR TREAD COMPOUND WITH HIGH-CURVATURE GROOVES

Delivers long mileage, excellent wet-road grip, & reliable braking performance



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
70/100-17	TT	P	150	40	1.60	33	572 ± 5	78± 4

BLAZE BF29

EVERY RIDE FEELS MORE CONFIDENT

ADVANCED CROSS-CUT TREAD PATTERN
Delivers superior grip, smooth handling, & confident cornering on every ride

RIGID SHOULDER DESIGN WITH HIGH-CURVATURE GROOVES
Enhances straight-line stability, efficient water evacuation, & reliable wet-road performance



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.50-17	TT	P	150	38	1.60	33	573±7	66±4

BLAZE-X R42

TOP PERFORMANCE ON RURAL ROADS

BLOCK DESIGN WITH UNIFORM GROOVES
Apt for water dispersion & ensuring safety on wet roads

BLAZE-X MILEAGE BOOSTER COMPOUND
Superior braking & long life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
3.00-17	TT	P	150	50	1.85	41	607±7	80 ± 4
2.75-18	TT	P	150	48	1.85	41	618±5	77±4
3.00-18	TT	P	150	52	1.85	41	630±7	81±4

JKTYRE

BLAZE RYDR

H SPEED RATED
DESIGNED FOR SPEEDS
UPTO 210 KM/HR

REDISCOVER
SPEED



Image simulated.

BLAZE RYDR BF41

SET THE ROADS ABLAZE

SPECIALIZED WIDE GROOVE PATTERN
High speed stability & performance

UNIFORM & BIG TREAD BLOCKS
Smart water channeling & better traction during monsoon



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/90-18	TL	P	150	51	2.15	33	622±7	91±4

BLAZE RYDR BR41

SET THE ROADS ABLAZE

SPECIALIZED WIDE GROOVE PATTERN
High speed stability & performance

UNIFORM & BIG TREAD BLOCKS
Smart water channeling & better traction during monsoon



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
120/80-16	TL	P	150	60	2.75	33	600±5	120±4
130/70-17	TL	P	150	62	3.50	33	616±7	130±6
140/70-17	TL	P	150	66	3.75	33	630±8	139 ±4
120/80-17	TL	P	150	61	2.75	33	627±8	120±6
120/80-18	TL	P	150	62	2.75	33	652±5	120±4

BLAZE RYDR BF43

A RYDR's DELIGHT

ADVANCED CROSS OVER GROOVE
Smart water channeling & better traction during monsoon

IMPROVED TREAD DESIGN
High speed stability & performance
for a robust drive



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/70-17	TL	H	210	54	3.00	33	588±5	112±4
90/80-17	TL	H	210	46	2.15	33	580±5	92±4
100/80-17	TL	H	210	52	2.50	33	594±7	102±5

BLAZE RYDR BR43

A RYDR's DELIGHT

ADVANCED CROSS OVER GROOVE
Smart water channeling & better traction during monsoon

IMPROVED TREAD DESIGN
High speed stability & performance
for a robust drive



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
140/60-17	TL	H	210	63	3.75	42	602±7	141±6
140/70-17	TL	H	210	66	3.75	33	630±5	141±4
150/60-17	TL	H	210	66	4.25	33	615±5	153±4

BLAZE RYDR BF46

TESTED BY CHAMPIONS, BUILT FOR YOU.

SLICK TYRE DESIGN
Meant for racing application - Royal Enfield Continental GT 650cc Cup

SPECIALISED PERFORMANCE COMPOUND
High speed grip & cornering



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/80-18	TL	H	210	58	2.50	42	637 ± 7	106 ± 5

BLAZE RYDR BR46

TESTED BY CHAMPIONS, BUILT FOR YOU.

SLICK TYRE DESIGN
Meant for racing application - Royal Enfield Continental GT 650cc Cup

SPECIALISED PERFORMANCE COMPOUND
High speed grip & cornering



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
150/65-18	TL	H	210	69	3.75	33	651 ± 7	148 ± 5
130/80-18	TL	H	210	66	3	42	666 ± 7	131 ± 5

BLAZE RYDR BF47

COMFORTABLE RIDING PARTNER

SPECIALIZED DIRECTIONAL PATTERN
Great handling & riding comfort

OPTIMIZED DESIGN & GROOVES
Great traction in all road conditions



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/90-19	TL	P	150	57	2.50	33	665±7	102±4

BLAZE RYDR BR47

COMFORTABLE RIDING PARTNER

SPECIALIZED DIRECTIONAL PATTERN
Great handling & riding comfort

OPTIMIZED DESIGN & GROOVES
Great traction in all road conditions



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
120/80-18	TL	P	150	62	2.75	33	652±5	120±4

BLAZE RYDR BR48

PRECISION THAT OWNS EVERY CORNER

OPTIMIZED DIRECTIONAL GROOVES & TREAD PROFILE
Delivers precise steering response, smooth cornering, & superior straight-line stability

HIGH-CURVATURE GROOVES WITH PREMIUM TREAD COMPOUND
Ensures rapid water evacuation, enhanced wet grip, & long-lasting performance



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
80/90-17	TL	P	150	44	1.85	33	578±5	82±4

BLAZE RYDR BR71

BUILT TO EXPLORE WITH CONFIDENCE

OPTIMIZED LAND DISTRIBUTION WITH LARGE CENTER BLOCKS

Delivers superior traction, excellent ride stability, & confident on/off-road performance

MULTIPLE CUTTING EDGES WITH PREMIUM TREAD COMPOUND

Enhances wet-road grip, precise handling, & long-lasting tread life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
120/80-17	TT	P	150	61	2.75	33	627±7	121±6
110/80-18	TT	P	150	58	2.50	33	635±9	112±5
120/80-18	TT	P	150	62	2.75	33	653±7	121±6
90/90-21	TT	S	180	54	2.15	33	696±6	91±5

BLAZE RYDR BR72

GRIP THAT THRIVES OFF ROAD

CENTER RIB WITH UNIFORM LOAD DISTRIBUTION

Delivers excellent straight-line stability, precise handling, & longer tread life

RIGID SHOULDER DESIGN WITH RESILIENT CARCASS

Ensures superior wet & dry grip, improved cornering stability, & enhanced riding comfort



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
130/70-12	TL	P	150	56	3.50	33	488±7	131±5

BLAZE
TWO WHEELER TYRES



GRIP

THAT KEEPS YOUR RIDES IN TOTAL CONTROL

Image simulated for illustrative purpose only.

BLAZE BA21

BEST LONG DISTANCE RELATIONSHIP

ZIG-ZAG CENTRE GROOVES
Great handling & riding comfort

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/90-10	TL	J	100	50	2.15	36	419±4	92±3
90/100-10	TT	J	100	53	2.15	36	437±7	91±5
90/100-10	TL	J	100	30	2.15	36	437±7	91±5
3.00-10	TL	J	100	42	2.10	36	417±7	81±3
3.00-10	TT	J	100	42	2.10	36	417±7	81±3
100/80-12	TL	J	100	56	2.50	36	468±5	102±3
90/90-12	TT	J	100	54	2.15	36	469±4	92±3
90/90-12	TL	J	100	54	2.15	36	469±4	92±3
3.00-12	TL	J	100	47	2.10	36	467±4	82±3

BLAZE BA23

CONQUER THE TOUGHEST TERRAINS

BIG CENTRE & ZIG-ZAG SHOULDER BLOCKS
Excellent stability on uneven roads

MULTIPLE CUTTING EDGES
Enhanced grip & braking ability for a seamless ride



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/100-10	TT	J	100	53	2.15	36	437±7	91±5
90/100-10	TL	J	100	53	2.15	36	437±7	91±5
3.50-10	TT	J	100	51	2.50	36	438±7	92±4
3.50-10	TL	J	100	51	2.50	36	438±7	92±4
90/90-12	TT	J	100	54	2.15	36	469±4	92±3
90/90-12	TL	J	100	54	2.15	36	469±4	92±3

BLAZE BA24

NO. 1 GRIP FOR YOUR SCOOTER

CONNECTED BLOCK DESIGN
Excellent grip & even wear

STRONG CASING DESIGN
Long life even on tough roads



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/100-10	TL	J	100	53	2.15	36	437±7	91±5

BLAZE BA25

A BLAZEFUL RIDE

BIG & BROAD CENTRE BLOCKS
Long life & high mileage

MULTIPLE CUTTING EDGES
High grip & anti-skidding



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/90-10	TL	J	100	56	2.50	36	437±7	102±4
90/90-12	TL	J	100	54	2.15	36	469±4	92±3

BLAZE BR26

RIDE THE AGGRESSIVE WAVE

BIG BLOCKS AT CENTRE & SHOULDER
Better traction & water removal

TIE-BAR CONNECTING CENTRE BLOCKS
Excellent mileage



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/100-10	TL	J	100	53	2.15	36	437±7	91±5

BLAZE RYDR BF44

ENJOY EXTRAORDINARY MILEAGE & STRENGTH

SPORTY DIRECTIONAL DESIGN
High grip & cornering stability

SUPERIOR TREAD COMPOUND
Superior traction & long life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
100/80-12	TL	L	120	56	2.50	36	468±5	102±3
90/90-17	TL	P	150	49	2.15	33	597±8	93 ±3
80/100-17	TL	P	150	46	1.85	33	594 ± 5	80 ± 3

BLAZE RYDR BR44

ENJOY EXTRAORDINARY MILEAGE & STRENGTH

SPORTY DIRECTIONAL DESIGN
High grip & cornering stability

SUPERIOR TREAD COMPOUND
Superior traction & long life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/80-12	TL	L	120	61	2.50	36	485±5	112±3
120/70-17	TL	P	150	58	3.50	33	602±7	120± 4
110/80-17	TL	P	150	57	2.50	33	610±7	114±4
100/90-17	TL	P	150	55	2.50	33	614 ± 5	101 ± 3

BLAZE RYDR BA44

ENJOY EXTRAORDINARY MILEAGE & STRENGTH

SPORTY DIRECTIONAL DESIGN
High grip & cornering stability

SUPERIOR TREAD COMPOUND
Superior traction & long life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
90/100-10	TL	J	100	53	2.15	36	437±7	91±5

BLAZE RYDR A/T BA50

CARVED FOR ALL TERRAINS

JUMBO SIZED BLOCKS
Excellent grip on all terrains - on-road & off-road

OPTIMIZED PARALLEL GROOVES
Smart design for water channeling
& better traction during monsoon



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
120/70-14	TL	P	150	55	3.50	33	524±7	127±3

BLAZE RYDR A/T BR51

GO FURTHER ACROSS EVERY TERRAIN

AGGRESSIVE BLOCK TREAD WITH W-GROOVE BRIDGE DESIGN

Delivers powerful traction, rapid mud evacuation, & superior off-road control

REINFORCED BLOCK GEOMETRY WITH OPTIMIZED TREAD-TO-VOID RATIO

Ensures longer tread life, resists stone trapping, & provides stable performance on rough terrain



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/90-17	TL	P	150	60	2.50	33	633± 7	111 ± 5

THE TYRE THAT TAKES YOUR EV FURTHER

INTRODUCING E/BLAZE WITH

20% LOWER ROLLING RESISTANCE
TO GIVE YOUR EV MORE RANGE.



***Available Sizes:**
90/90-12, 110/70-12 & 100/80-12
suitable for both
EV & **ICE** vehicles



*T&C apply.

E-BLAZE BA37

THE TYRE THAT TAKES YOUR EV FURTHER

OPTIMIZED CONTACT PATCH
Enhanced safety & confidence

LOW ROLLING RESISTANCE
More kms per charge i.e. higher mileage



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
110/70-12	TL	P	150	55	3.00	33	459±5	112±4
90/90-12	TL	P	150	54	2.15	36	469±4	92±3

E-BLAZE BA11

ENJOY THE POWER.
EXPERIENCE TOTAL CONTROL.

STRONG & HEAVY SHOULDER BLOCKS
High grip & cornering stability

BIG & BROAD CENTRE BLOCKS
Best-in-class mileage for fuel efficiency



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
2.50-16	TT	L	120	41	1.60	41	547±5	68±3

E-BLAZE BA23

CONQUER THE TOUGHEST TERRAINS

BIG CENTRE & ZIG-ZAG SHOULDER BLOCKS
Excellent stability on uneven roads

MULTIPLE CUTTING EDGES
Enhanced grip & braking ability for a seamless ride



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
3.75-12	TT	E	70	66	2.50	50	512±7	101± 4

E-BLAZE BA61


TRUE CHAMPION FOR E-MOBILITY

OPTIMIZED CONTACT PATCH
Enhanced safety & confidence

LOW ROLLING RESISTANCE TYRE
More Kms per charge i.e. higher life



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
3.75-12	TT	E	70	66	2.50	50	512±7	101± 4


TOTAL
CONTROL
ON THE ROAD AND
ON YOUR GROWTH.
JUMBO MILES HD
JUMBO MILES
JKTYRE

JUMBO XR

JUMBO STRENGTH, JUMBO SAVINGS.

5 - RIB WITH FLAT TREAD DESIGN
Excellent wear nature with smooth wear

STRONG NYLON CASING
High reliability in tough conditions



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
4.00-8	TT	F	80	76	3.00	62	424±7	115±5
4.00-8	TL	F	80	76	3.00	62	424±7	115±5
4.00-10	TT	E	70	79	3.00	62	470±4	110±4

JUMBO MILES SL

JUMBO STRENGTH, JUMBO SAVINGS.

SEMI LUG PATTERN WITH AGGRESSIVE LOOK
High performance at both on/off conditions

RIGID SHOULDER DESIGN
High grip & cornering stability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
4.00-8	TT	F	80	76	3.00	62	428 ± 4	117±3
4.50-10	TT	E	70	85	3.50	73	502±7	126±5

JUMBO MILES HD

JUMBO STRENGTH, JUMBO SAVINGS.

5 - RIB WITH FLAT TREAD DESIGN
Excellent wear nature with smooth wear

HIGH PERFORMANCE COMPOUND
Long life with better road grip & less tread wear



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
4.00-8	TT	F	80	76	3.00	62	427±7	116±4

JUMBO MILES

BUILT FOR MORE MILES.
TRUSTED FOR EVERY LOAD.

OPTIMIZED 5-RIB FLAT TREAD DESIGN
Provides uniform road contact for longer tread life
& enhanced straight-line stability

RELIABLE STRENGTH & GRIP
Delivers high load-carrying capability, excellent durability



SIZE	TT/TL	SR	KMPH	LI	RIM WIDTH (INCH)	INFLATION PRESSURE (PSI)	OD (MM)	SW (MM)
4.00-8	TT	F	80	81	3.00	73	427±7	116±4
4.00-8		F	80	76	3.00	62	427±7	116±4
4.50-10		E	70	85	3.50	73	502±5	131±4

Vehicle Application/Fitment Chart

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Yamaha	Scooter	RayZR Street Rally 125 Fi	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	RayZR Street Rally 125 Fi	Rear	110/90-10	TL	BLAZE BA 25
	Scooter	RayZR 125 Fi	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	RayZR 125 Fi	Rear	110/90-10	TL	BLAZE BA 25
	Scooter	Fascino 125 Fi	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Fascino 125 Fi	Rear	110/90-10	TL	BLAZE BA 25
	Scooter	Ray Z	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Ray Z	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Ray Z	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Ray ZR 110cc	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Fascino	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Fascino	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	RayZR Street Rally 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	RayZR Street Rally 125	Rear	110/90-10	TL	BLAZE BA 25
	Scooter	Fascino 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Fascino 125	Rear	110/90-10	TL	BLAZE BA 25
	Motorcycle	R3	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	R3	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	R15M	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	R15M	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	R15 V4	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	R15 V4	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	R15S	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	R15S	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	MT-03	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	MT-03	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	MT15 VER 2.0	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	MT15 VER 2.0	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-S FI HYBRID	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ-S FI HYBRID	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-S FI	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ-S FI HYBRID	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ FI	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ FI	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-S FIVer 4.0 DLX	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ-S FIVer 4.0 DLX	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-S FI Ver 4.0	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Yamaha	Motorcycle	FZ-S FI Ver 4.0	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-S FI VER 3.0	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ-S FI VER 3.0	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-X HYBRID	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ-X HYBRID	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	FZ-X	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	FZ-X	Rear	140/60R17	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
TVS	Scooter	TVS Jupiter 110	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	TVS Jupiter 110	Rear	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	TVS Jupiter 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	TVS Jupiter 125	Rear	90/90-12	TL	BLAZE RYDR BF 44, BLAZE BA 21
	Scooter	TVS NTorq	Front	100/80-12	TL	BLAZE RYDR BR 44
	Scooter	TVS NTorq	Rear	110/80-12	TL	BLAZE-X R 45, BLAZE-X F 23, BLAZE BA 11
	Scooter	TVS XL 100	Front	2.50-16	TT	BLAZE-X R 45, BLAZE-X F 23, BLAZE BA 11
	Scooter	TVS XL 100	Rear	2.50-16	TT	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	APACHE RR 310	Front	110/70R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	APACHE RR 310	Rear	150/60R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	APACHE RTR 310	Front	110/70R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	APACHE RTR 310	Rear	150/60R17	TL	BLAZE BF 32, BLAZE RYDR BF 44
	Motorcycle	APACHE RTR160 2V	Front	90/90-17	TL	BLAZE BR 31, BLAZE RYDR BR 44
	Motorcycle	APACHE RTR160 2V	Rear	110/80-17	TL	BLAZE BF 32, BLAZE RYDR BF 44
	Motorcycle	APACHE RTR160 4V	Front	90/90-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	APACHE RTR160 4V	Rear	130/70R17	TL	BLAZE BF 32, BLAZE RYDR BF 44
	Motorcycle	APACHE RTR200 4V	Front	90/90-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	APACHE RTR200 4V	Rear	130/70R17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	TVS RAIDER	Front	80/100-17	TL	BLAZE BR 31, BLAZE BR 33, BLAZE BR 36, BLAZE BR 23, BLAZE RYDR BR 44
	Motorcycle	TVS RAIDER	Rear	100/90-17	TL / TT	BLAZE BF 11, BLAZE BF 32, BLAZE-X F 21
	Motorcycle	TVS RADEON	Front	2.75-18	TT/TL	BLAZE BR 11, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	TVS RADEON	Rear	3.00-18	TT/TL	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	TVS SPORT	Front	2.75-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	TVS SPORT	Rear	3.00-17	TT/TL	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	TVS STARCITY+	Front	2.75-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	TVS STARCITY+	Rear	3.00-17	TT/TL	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	STAR SPORT	Front	2.75-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	STAR SPORT	Rear	3.00-17	TT/TL	E -BLAZE BA 37
	Electric Scooter	iQube / iQube S / ST	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	iQube / iQube S / ST	Rear	90/90-12	TL	BLAZE RYDR BF 44, BLAZE BA 21
	Electric Scooter	TVS X (1st Edition)	Front	100/80-12	TL	BLAZE RYDR BR 44
	Electric Scooter	TVS X (1st Edition)	Rear	110/80-12	TL	Blaze RYDR BR44

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Suzuki	Scooter	Access 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Access 125	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Avenis	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Avenis	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Burgman Street	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Burgman Street	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Access Special Edition	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Access Special Edition	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Motorcycle	GIXXER 155	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	GIXXER 155	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	GIXER/GIXER SF	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	GIXER SF	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	GIXXER SF 155	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	GIXXER SF 155	Rear	140/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	GIXXER 250	Front	110/70-17	TL	BLAZE BF 33, BLAZE RYDR BF 43
	Motorcycle	GIXXER 250	Rear	150/60-17	TL	BLAZE RYDR BR 43
	Motorcycle	GIXXER SF 250	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	GIXXER SF 250	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	V-STROM 800 DE	Front	90/90-21	TT/TL	BLAZE RYDR A/T BF 50, BLAZE RYDR BR 71
Royal Enfield	Motorcycle	SCRAM 440	Front	100/90-19	TL	BLAZE RYDR BF 47
	Motorcycle	SCRAM 440	Rear	120/90-17	TT	BLAZE RYDR A/T BR 50
	Motorcycle	BEAR 650	Front	100/90-19	TL	BLAZE RYDR BF 47
	Motorcycle	CLASSIC 350	Front	100/90-19	TT/TL	BLAZE RYDR BF 47
	Motorcycle	CLASSIC 350	Rear	120/80-18	TT/TL	BLAZE RYDR BR 41, BLAZE RYDR BR 71, BLAZE RYDR BR 47, BLAZE RYDR A/T BR 50
	Motorcycle	HIMALAYAN 450	Front	90/90-21	TT/TL	BLAZE RYDR A/T BF 50, BLAZE RYDR BR 71
	Motorcycle	BULLET 350	Front	100/90-19	TT/TL	BLAZE RYDR BF 47
	Motorcycle	BULLET 350	Rear	120/80-18	TT/TL	BLAZE RYDR BR 41, BLAZE RYDR BR 71, BLAZE RYDR BR 47, BLAZE RYDR A/T BR 50
	Motorcycle	METEOR 350	Front	100/90-19	TL	BLAZE RYDR BF 47
	Motorcycle	METEOR 350	Rear	140/70-17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43
	Motorcycle	BULLET 500	Front	90/90-19	TT/TL	BLAZE BF 32, BLAZE RYDR A/T BF 50
	Motorcycle	BULLET 500	Rear	120/80-18	TT/TL	BLAZE RYDR BR 41, BLAZE RYDR BR 71, BLAZE RYDR BR 47, BLAZE RYDR A/T BR 50
	Motorcycle	BULLET ELECTRA	Front	3.25-19	TT	BLAZE BF 11
	Motorcycle	BULLET ELECTRA	Rear	3.50-19	TT	BLAZE BR 11
Ola	Electric Scooter	Ola S1 X+	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola S1 X+	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola S1 Air	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola S1 Air	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola S1 Pro Gen 2	Front	110/70-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola S1 Pro Gen 2	Rear	110/70-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola S1 X Gen 2	Front	90/90-12	TL	E -BLAZE BA 37

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Ola	Electric Scooter	Ola S1 X Gen 2	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola GTG	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola GTG	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola Gig+	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Ola Gig+	Rear	90/90-12	TL	E -BLAZE BA 37
Okinawa Scooters	Scooter	Ridge 100	Front	3.00-10	TL	BLAZE BA 21
	Scooter	Ridge 100	Rear	3.00-10	TL	BLAZE BA 21
	Scooter	Ridge+	Front	3.00-10	TL	BLAZE BA 21
	Scooter	Ridge+	Rear	3.00-10	TL	BLAZE BA 21
	Scooter	RIDGE+(GPS)	Front	3.00-10	TL	BLAZE BA 21
	Scooter	RIDGE+(GPS)	Rear	3.00-10	TL	BLAZE BA 21
	Scooter	R30	Front	3.00-10	TL	BLAZE BA 21
	Scooter	R30	Rear	3.00-10	TL	BLAZE BA 21
	Scooter	LITE	Front	3.00-10	TL	BLAZE BA 21
	Scooter	LITE	Rear	3.00-10	TL	BLAZE BA 21
	Electric Scooter	iPraise+	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	iPraise+	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	PraisePro	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	PraisePro	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Dual 100	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Dual 100	Rear	90/90-12	TL	E -BLAZE BA 37
KTM	Motorcycle	KTM 250ADVENTURE	Front	100/90-19	TL	BLAZE RYDR BF 47
	Motorcycle	KTM 390ADVENTURE	Front	90/90-21	TL	BLAZE RYDR A/T BF 50, BLAZE RYDR BR 71
	Motorcycle	KTM 390ADVENTURE X	Front	100/90-19	TL	BLAZE RYDR BF 47
	Motorcycle	KTM 390 DUKE	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	KTM 390 DUKE	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	KTM 250 DUKE	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	KTM 250 DUKE	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	KTM 200 DUKE	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	KTM 200 DUKE	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	KTM RC GP	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	KTM RC GP	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	KTM RC 390	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	KTM RC 390	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	KTM RC 200	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	KTM RC 200	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
Kawasaki	Motorcycle	VERSYS X300	Front	100/90-19	TL	BLAZE RYDR BF 47

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Husqvarna	Motorcycle	SVARTPILEN 401	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	SVARTPILEN 401	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	VITPILEN 250	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	VITPILEN 250	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
Honda	Scooter	Activa 110	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Activa 110	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Dio 110	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Dio 110	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Dio 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Dio 125	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Activa 6G	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Activa 6G	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	Activa 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	Activa 125	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Motorcycle	SHINE 100	Front	2.75-17	TT	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	SHINE 100	Rear	3.00-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	LIVO 110	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	LIVO 110	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	SHINE 125	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SHINE 125	Rear	90/90-18	TL	BLAZE BR 64
	Motorcycle	SP 125	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SP 125	Rear	100/80-18	TL	BLAZE BR 64
	Motorcycle	SP 160	Front	80/100-17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	SP 160	Rear	130/70-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	UNICORN BS	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	UNICORN BS	Rear	100/90-18	TL	BLAZE BR 23, BLAZE BR 32
	Motorcycle	CB UNICORN 150CC	Front	2.75-18	TT/TL	BLAZE BF 11, BLAZE BF 32, BLAZE-X F 21
	Motorcycle	CB UNICORN 150CC	Rear	100/90-18	TL	BLAZE BR 23, BLAZE BR 32
	Motorcycle	CB 200X	Front	110/70-17	TL	BLAZE BF 33, BLAZE RYDR BF 43
	Motorcycle	CB 200X	Rear	140/70-17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43
Hero	Scooter	XOOM 110 LX	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	XOOM 110 LX	Rear	100/80-12	TL	BLAZE RYDR BF 44, BLAZE BA 21
	Scooter	NEW DESTINI 125 VX, ZX, ZX+	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	NEW DESTINI 125 VX, ZX, ZX+	Rear	100/80-12	TL	BLAZE RYDR BF 44, BLAZE BA 21
	Scooter	DESTINI PRIME	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	DESTINI PRIME	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	XOOM LX	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	XOOM LX	Rear	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	XOOM VX & ZX	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Hero	Scooter	XOOM VX & ZX	Rear	100/80-12	TL	BLAZE RYDR BF 44, BLAZE BA 21
	Scooter	DESTINI 125	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	DESTINI 125	Rear	100/80-12	TL	BLAZE RYDR BF 44, BLAZE BA 21
	Scooter	MAESTRO EDGE	Front	90/90-12	TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 25
	Scooter	MAESTRO EDGE	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	PLEASURE	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	PLEASURE	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	PLEASURE+	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	PLEASURE+	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	PLEASURE+ XTEC	Front	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Scooter	PLEASURE+ XTEC	Rear	90/100-10	TT/TL	BLAZE BA 21, BLAZE BA 23, BLAZE BA 24, BLAZE BR 26, BLAZE RYDR BA 44
	Motorcycle	PASSION+	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	PASSION+	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	SUPER SPLENDOR	Front	2.75-18	TT/TL	BLAZE BF 11, BLAZE BF 32, BLAZE-X F 21
	Motorcycle	SUPER SPLENDOR	Rear	2.75-18	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	SPLENDOR+XTEC 2.0	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SPLENDOR+XTEC 2.0	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	SPLENDOR+	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SPLENDOR+	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	SPLENDOR+XTEC	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SPLENDOR+XTEC	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	HF DELUXE	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	HF DELUXE	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	HF 100	Front	2.75-18	TT/TL	BLAZE BF 11, BLAZE BF 32, BLAZE-X F 21
	Motorcycle	HF 100	Rear	2.75-18	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	GLAMOUR X	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	GLAMOUR X	Rear	100/80-18	TL	BLAZE BR 64
	Motorcycle	XTREME 150	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	XTREME 150	Rear	100/90-18	TL	BLAZE BR 23, BLAZE BR 32
	Motorcycle	GLAMOUR 125	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	GLAMOUR 125	Rear	100/80-18	TL	BLAZE BR 64
	Motorcycle	PASSION XTEC	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	PASSION XTEC	Rear	80/100-18	TL	BLAZE BR 11, BLAZE BR 32, BLAZE BR 64
	Motorcycle	XTREME 125R	Front	90/90-17	TL	BLAZE BF 32, BLAZE RYDR BF 44
	Motorcycle	XTREME 125R	Rear	120/80-17	TL	BLAZE BR 31, BLAZE RYDR BR 41
	Motorcycle	SUPER SPLENDOR XTEC	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SUPER SPLENDOR XTEC	Rear	90/90-18	TL	BLAZE BR 64
	Motorcycle	SUPER SPLENDER NEW	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	SUPER SPLENDER NEW	Rear	90/90-18	TL	BLAZE BR 64

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Hero	Motorcycle	GLAMOUR XTEC	Front	80/100-18	TL	BLAZE BF 32, BLAZE BF 64
	Motorcycle	GLAMOUR XTEC	Rear	100/80-18	TL	BLAZE BR 64
	Motorcycle	XPULSE 210	Front	90/90-21	TT/TL	BLAZE RYDR A/T BF 50, BLAZE RYDR BR 71
	Motorcycle	XPULSE 210	Rear	120/80-18	TT/TL	BLAZE RYDR BR 41, BLAZE RYDR BR 71, BLAZE RYDR BR 47, BLAZE RYDR A/T BR 50
	Motorcycle	XTREME 160R 4V	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	XTREME 160R 4V	Rear	130/70R17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	XTREME 160R	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	XTREME 160R	Rear	130/70R17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	XTREME 200S 4V	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	XTREME 200S 4V	Rear	130/70-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	XPULSE 200 4V	Front	90/90-21	TT/TL	BLAZE RYDR A/T BF 50, BLAZE RYDR BR 71
	Motorcycle	XPULSE 200 4V	Rear	120/80-18	TT/TL	BLAZE RYDR BR 41, BLAZE RYDR BR 71, BLAZE RYDR BR 47, BLAZE RYDR A/T BR 50
	Motorcycle	KARIZMA XMR	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	KARIZMA XMR	Rear	140/70-17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43
	Electric Scooter	OPTIMA CX 5.0	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	OPTIMA CX 5.0	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	PHOTON LP	Front	3.00-10	TL	BLAZE BA 21
	Electric Scooter	PHOTON LP	Rear	3.00-10	TL	BLAZE BA 21
	Electric Scooter	ATRIA LX	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	ATRIA LX	Rear	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	FLASH LX	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	FLASH LX	Rear	90/90-12	TL	E -BLAZE BA 37
Bajaj	Motorcycle	PULSAR N125	Front	80/100-17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	PULSAR N125	Rear	110/80-17	TL	BLAZE BR 31, BLAZE RYDR BR 44
	Motorcycle	PULSAR N160	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	PULSAR N160	Rear	130/70-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	PULSAR NS400Z	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	PULSAR NS400Z	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	PULSAR NS200	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	PULSAR NS200	Rear	130/70-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	PULSAR NS160	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	PULSAR NS160	Rear	130/70-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	PULSAR N125	Front	80/100-17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	PULSAR N125	Rear	100/90-17	TL	BLAZE BR 31, BLAZE BR 33, BLAZE BR 36, BLAZE BR 23, BLAZE RYDR BR 44
	Motorcycle	PULSAR RS200	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	PULSAR RS200	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Motorcycle	PULSAR 125	Front	80/100-17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	PULSAR 125	Rear	100/90-17	TL	BLAZE BR 31, BLAZE BR 33, BLAZE BR 36, BLAZE BR 23, BLAZE RYDR BR 44
	Motorcycle	PULSAR 150 (SINGLE & TWIN DISC)	Front	90/90-17	TL	BLAZE BF 32, BLAZE RYDR BF 44

OEM	Vehicle Type	Model	Position	Size	TT/TL	Pattern (s) Available
Bajaj	Motorcycle	PULSAR 150 (SINGLE & TWIN DISC)	Rear	120/80-17	TL	BLAZE BR 31, BLAZE RYDR BR 41
	Motorcycle	PULSAR 150 (NEON EDITION)	Front	80/100-17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	PULSAR 150 (NEON EDITION)	Rear	100/90-17	TL	BLAZE BR 31, BLAZE BR 33, BLAZE BR 36, BLAZE BR 23, BLAZE RYDR BR 44
	Motorcycle	DOMINAR 250	Front	100/80-17	TL	BLAZE RYDR BF 43, BLAZE BF 32
	Motorcycle	DOMINAR 250	Rear	130/70-17	TL	BLAZE RYDR BR 41 (Bias)
	Motorcycle	DOMINAR 400	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	DOMINAR 400	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	AVENGER 220 CRUISE	Front	90/90-17	TL	BLAZE BF 32, BLAZE RYDR BF 44
	Motorcycle	AVENGER 220 CRUISE	Rear	130/90-15	TL	Not available
	Motorcycle	DOMINAR 200	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	DOMINAR 200	Rear	150/60R17	TL	BLAZE RYDR BR 43 (Bias)
	Motorcycle	AVENGER 160 STREET	Front	90/90-17	TL	BLAZE BF 32, BLAZE RYDR BF 44
	Motorcycle	AVENGER 160 STREET	Rear	130/90-15	TL	Not available
	Motorcycle	PLATINA 100	Front	2.75-17	TT	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	PLATINA 100	Rear	3.00-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	PLATINA 110 DRUM	Front	80/100-17	TL	BLAZE BF 32, BLAZE BF 33, BLAZE BF 36, BLAZE RYDR BF 44
	Motorcycle	PLATINA 110 DRUM	Rear	80/100-17	TL	BLAZE BR 32
	Motorcycle	CT 110X	Front	2.75-17	TT	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	CT 110X	Rear	3.00-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	CT 110	Front	2.75-17	TT	BLAZE-X F 82, BLAZE-X F 21, BLAZE BF 32, BLAZE BF 11
	Motorcycle	CT 110	Rear	3.00-17	TT/TL	BLAZE BR 11, BLAZE BR 12, BLAZE BR 22, BLAZE BR 23, BLAZE BR 32, BLAZE-X R 42
	Motorcycle	PULSAR RS200	Front	110/70R17	TL	BLAZE BF 33, BLAZE RYDR BF 43 (Bias)
	Motorcycle	PULSAR RS200	Rear	140/70R17	TL	BLAZE RYDR BR 41, BLAZE RYDR BR 43 (Bias)
	Electric Scooter	Chetak	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	Chetak	Rear	90/90-12	TL	E -BLAZE BA 37
Ather	Electric Scooter	450S	Front	90/90-12	TL	E -BLAZE BA 37
	Electric Scooter	450S	Rear	90/90-12	TL	E -BLAZE BA 37

Disclaimer: All third-party trademarks, brand names, and vehicle references used herein are the property of their respective owners and are mentioned solely for product identification and fitment reference purposes. Their use does not imply any affiliation, sponsorship, or endorsement by JK Tyre & Industries Ltd. Fitment information is indicative only; customers are advised to verify specifications and suitability with an authorized dealer before purchase.

Warranty for **2-3W**

Warranty Policy Parameters	2 Wheelers	3 Wheelers
TYRE		
Age limit for warranty claim (from the date of manufacture or pattern worn up to TWI, whichever is earlier)	6 years (72 months)	
New defective age limit (from the date of manufacture)	1 year (12 months)	
FOC adjustments (for technical defects only)	Up to 15% tread wear	
Warranty entitlement for subjective complaint (wobbling/vibrations)	FOC – if reported within initial 15% tread wear. No adjustment after 15% tread wear.	

TUBE

Age limit for warranty claim (from the date of manufacture)	2 years (24 months)
New defective age limit (from the date of manufacture for technical defects only)	1 year (12 months)
FOC adjustments (from the date of manufacture for technical defects only)	25% (12-24 months)

For more details contact your nearest JK Tyre representative.
JK Tyre reserves the right to make any changes in the terms and conditions without prior notification at any point in time.

Notes



Administrative Office
3, Bahadur Shah Zafar Marg, New Delhi - 110002
Ph. +91 11 66001112, +91 11 66001122, Fax No. +91 11 23322059

Registered Office
Jaykaygram, PO - Tyre Factory, Kankroli, Rajasthan - 313342